Full Colour Multi Function Printer

RICOH imagine. change.

IM C2010

IM C2510

IM C3010



IM C2010

20 ppm

IM C2510



IM C3010



IM C3510



IM C4510



IM C6010



Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising work flows through scanning; helping to reduce your carbon footprint and costs.

More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with end-to-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

Ongoing security

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.

More security – Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.

Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.









Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates work flows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

Third-generation Smart Operation Panel

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.

Improved user experience

- · Android OS 10 for better security and usability
- Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility & new capacitive touch sensor
- · Fast wake up time from sleep mode

Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.





Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a work flow is now simpler with Ricoh's software.

Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.



Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.

The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

IM C2010/IM C2510


- 20 to 25 ppm A3 all-in-one printer for all-round support
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

IM C3010/IM C3510

- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation):
 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

IM C4510/IM C6010

- Productive 45 to 60 ppm A3 all-in-one printer for top performance
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



IM C2010/IM C2510/IM C3010/IM C3510/IM C4510/IM C6010

	IM C2010 (ARDF)	IM C2510 (ARDF)	IM C3010 (SPDF)	IM C3510 (SPDF)	IM C4510 (SPDF)	IM C6010 (SPDF)	
GENERAL							
Warm-up time	24 seconds	24 seconds	24 seconds	24 seconds	23 seconds	23 seconds	
First copy speed: B/W	5.1 seconds	5.1 seconds	4.5 seconds	4.5 seconds	3.6 seconds	2.9 seconds	
First copy speed: full colour	7.4 seconds	7.4 seconds	6.9 seconds	6.9 seconds	5.4 seconds	4.2 seconds	
Continuous output speed	20 ppm	25 ppm	30 ppm	35 ppm	45 ppm	60 ppm	
Memory: standard	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	
Memory: maximum	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	
SSD: standard	0 00	0 00	256		0 00	0.00	
			1 -				
SSD: optional	100 abaata	100 abaata			220 abaata	220 sheets	
Document Feeder capacity	100 sheets	100 sheets	220 sheets	220 sheets	220 sheets		
Weight (kg)	89.7	89.7	99.3	99.3	100.8	100.8	
Dimensions WxDxH (mm)	587 x 701 x 913	587 x 701 x 913	587 x 701 x 963	587 x 701 x 963	587 x 701 x 963	587 x 701 x 96	
Power source	220 - 240 V, 50 - 60 Hz						
COPIER			Un to 00	0			
Multiple copying Resolution				9 copies			
				dpi			
Zoom	From 25% to 400% in 1% steps						
PRINTER							
First print speed: B/W	4.5 seconds	4.5 seconds	4 seconds	4 seconds	3.2 seconds	2.4 seconds	
First print speed: full colour	7 seconds	7 seconds	6.6 seconds	6.6 seconds	5.2 seconds	3.8 seconds	
CPU (IM C2010, IM C2510, M C3010, IM C3510)	ApolloLake E3930 1.3 GHz						
CPU (IM C4510, IM C6010)	ApolloLake E3940 1.6 GHz						
Printer language: standard	PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation)						
Printer language: option	Genuine Adobe® PostScript®3™, PDF Direct from Adobe®						
Print resolution: maximum	4,800 x 1,200 dpi equivalent						
Network interface: standard							
Network interface: option	Ethernet 10 base-TX/100 base-TX/1000 base-T, USB Host I/F Type A, USB Device I/F Type B Wireless I AN /IFFE 802 11 a/b/g/p/ac) Additional NIC (2 rd port)						
Mobile printing capability	Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2 nd port)						
Windows® environments	Apple AirPrint, Mopria®, NFC, Ricoh Smart Device Connector Windows® 8.1, Windows® 10, Windows® 11, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019, Windows® Server 2022						
Mac OS environments							
UNIX environments	Macintosh OS X v10.15 or later						
	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux Enterprise, IBM® AIX SAP® R/3®, SAP® S/4®						
SAP® environments							
Other supported environments			IBM is	series			
SCANNER							
Scanning speed: (A4 LEF, 200dpi, B/W, Full colour)	80 ipm	80 ipm	150 ipm (simplex) 300 ipm (duplex)	150 ipm (simplex) 300 ipm (duplex)	150 ipm (simplex) 300 ipm (duplex)	150 ipm (simple 300 ipm (duple	
Resolution		100 (dpi, 200 dpi(default),	300 dpi, 400 dpi, 60	00 dpi		
File formats	Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A, Single page Encryption PDF Multi page PDF/A, Single page Encryption PDF, Single/multi OCR (optional)						
Scan modes		·	E-mail, Folder,	• ,	,		
AX							
Circuit	PSTN, PBX						
Fransmission speed			3 sec				
Modem speed: maximum			33.6	Kbps			
Resolution: standard	8x3.85 line/mm, 200x100 dpi						
Resolution: option			16x15.4 line/ m	m, 400x400 dpi			
Compression method			MH, MR, M	MR, JBIG			
	68 spm	68 spm	90 spm	90 spm	90 spm	90 spm	
Scanning speed (A4 LEF)							
Memory: standard			4 MB, (32	•	•		

IM C2010/IM C2510/IM C3010/IM C3510/IM C4510/IM C6010

	IM C2010 (ARDF)	IM C2510 (ARDF)	IM C3010 (SPDF)	IM C3510 (SPDF)	IM C4510 (SPDF)	IM C6010 (SPDF)	
PAPER HANDLING							
Recommended paper size	Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray: SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper (Width: 90-320mm, Length: 148-457.2mm (Copy/Document server) 148-1,260mm (FAX/Printer))						
Paper input: standard	1,200 sheets						
Paper input: maximum	4,700 sheets						
Paper output: standard	500 sheets						
Paper output: max. (IM C2010, IM C2510, IM C3010, IM C3510)	1,625 sheets						
Paper output: max. (IM C4510, IM C6010)	3,625 sheets						
Paper weight	Trays: (60 - 300 g/m²), Bypass: (52 - 300 g/m²), Duplex: (52 - 256 g/m²)						
Paper types	Plain paper, Recy		aper, Color paper, Let ber, Envelope, Gloss p			nd paper, Coated	















RICOH @Remote



ECOLOGY

Power consumption: max.	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,850 W	Less than 1,850 W	
Power consumption operation: B&W	411.8 W	449.2 W	464.4 W	500.5 W	576.6 W	763.3 W	
Power consumption operation: Full colour:	456.3 W	494.5 W	515.3 W	543.6 W	664.9 W	871.2 W	
Power consumption: ready	37.7 W	37.7 W	38.5 W	38.5 W	40.5 W	40.1 W	
Power consumption: sleep	0.30 W	0.30 W	0.30 W	0.30 W	0.32 W	0.32 W	
TEC*	0.20 kWh/week	0.25 kWh/week	0.30 kWh/week	0.35 kWh/week	0.45 kWh/week	0.67 kWh/week	
* It is a reference could be the ENERGY OTAR Var O O As A most and							

^{*} It is a reference value based on the ENERGY STAR Ver.3.0 test method.

OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,500-sheet side Large capacity tray, 1,000-sheet Hybrid nisher, 3,000-sheet nisher, 1,000-sheet Booklet nisher, 3,000-sheet booklet nisher, 250-sheet Internal nisher, 500-sheet Internal nisher, Stapleless internal nisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit

OTHER OPTIONS

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Caster table, Memory unit, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Post-Script 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, Counter I/F unit, NFC card reader, EFI controller, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, Bridge unit, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

CONSUMABLES

Toner (black)	30,000 Prints	30,000 Prints	40,000 Prints	40,000 Prints	42,000 Prints	42,000 Prints
Toner (cyan/magenta/yellow) Consumable yield based on 3p/j 5% coverage on A4	18,000 Prints	18,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints

Authorized Distributor by:



PT. PERDANA BANGUN PUSAKA Tbk.

Address: Gedung Konica Lt. 1

Jl. Gunung Sahari Raya No. 78
Jakarta Pusat 10610 - INDONESIA
Email : info@ricoh.perdanagroup.id
Website : ricoh.perdanagroup.id

Kantor Cabang

BANDUNG Jl. Batununggal IV No.29 Bandung, Jabar 40266 Phone: (022) 751 0509

SEMARANG Komplek Perum Ruko Puri Anjasmoro, Blok DD 1/2 Semarang, Jateng 50144 Phone: (024) 760 0335 SURABAYA Jl. Raya Kenjeran No.471-473

Surabaya, Jatim 60134 Phone: (031) 389 0389

PALEMBANG

Jl. Kol.H. Burlian No.1008-1010 Palembang, Sumsel 30961 Phone: (0711) 416 576

